

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT IDENTIFICATION:

TRADE NAME: **ODOR NEUTRALIZER**

MANUFACTURED FOR: **Carglo/Professional Car Care Products**

40257 Mimulus Way  
Temecula, CA 92591  
858-573-0944

DATE PREPARED OR REVISED: 01-01-12

### 2. HAZARDOUS INGREDIENTS:

Chemical Name	CAS numbers	%	Exposure Limits in Air	ACGIH TLV	HAZARD
---------------	-------------	---	------------------------	-----------	--------

Proprietary Fragrance Mixture in Non-ionic Surfactant Blend in water. Some Fragrances might contain following Hazardous Material but in less than 3% level at maximum fragrance concentration.

Diethyl Phthalate	84-66-2	<3%	5 mg/Cu Meter 8 Hr TWA		Irritant Vapor
-------------------	---------	-----	------------------------	--	----------------

### 3. PHYSICAL PROPERTIES:

Vapor Density (air=1.0)	: Heavier than air
Specific Gravity (Water=1.0)	: < 1.0
Solubility in Water	: Insoluble
Vapor Pressure, mmHg @ 20 C	: < 0.0 at 100 F
Appearance and Odor Name	: Characteristic to Fragrance
Freezing Point or Range	: < 32 F
Boiling Point or Range	: > 500 F
Evaporation Rate (Butyl Acetate=1.0)	: < 1.0
% Volatile By Volume	: 90-99%

### 4. FIRE AND EXPLOSION:

Flash Point (give method) : > 200 F Tag Closed Cup; Auto Ignition Temperature : N/A  
Flammable Limits in Air, Vol % : lower (LEL) 0.6 upper (UEL) 7.0  
Fire Extinguishing Materials: Water Spray \_\_X\_\_, Foam \_\_X\_\_, Carbon Dioxide \_\_X\_\_, Dry Chemical \_\_X\_\_, Other\_\_\_\_  
Specific Fire Fighting Procedures: Use water spray to cool fire exposed surfaces and to protect personnel.  
Unusual Fire and Explosion Hazards: None Known.

### 5. HEALTH HAZARD INFORMATION:

SYMPTOMS OF OVEREXPOSURE for each Potential Rout of Exposure:

Inhaled: Very high vapor concentrations are irritating to the eyes and respiratory tract; May cause headaches and dizziness.

Contact With Skin or Eyes: Slightly irritating to eyes but does not injure eye tissue. Low order of toxicity. Frequent or prolonged exposure to skin may irritate and cause dermatitis in some people.

Swallowed: Minimal toxicity. Small amounts of the liquid aspirated into respiratory system during ingestion, or from vomiting, may cause bronchopneumonia or pulmonary edema.

FIRST AID: EMERGENCY PROCEDURES

Eye Contact: Flush eyes with large amount of water until no irritation. If irritation persists, get medical

attention.

Skin Contact: Flush with large amount of water and use soap. Remove grossly contaminated clothing, including shoes, and launder before reuse.

Inhaled: Immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. and get prompt medical attention.

Swallowed: If swallowed, DO NOT induce vomiting. Keep at rest and get prompt medical attention.

SUSPECTED CANCER AGENTS?  NO: This product's ingredients are not found in lists below.

YES: Federal OSHA\_\_\_\_\_, NTP\_\_\_\_\_, IARC\_\_\_\_\_;

California employers using Cal/OSHA regulated carcinogens must register with Cal/OSHA. The Cal/OSHA and Federal OSHA carcinogen lists are similar.

## 6. REACTIVITY DATA:

Stability:  Stable \_\_\_ Unstable; Conditions to Avoid: Not Applicable

Incompatibility (Materials to Avoid): strong oxidants

Hazardous Decomposition Products (including combustion products): None Unusual

Hazardous Polymerization: \_\_\_ May Occur  Will not occur; Conditions to Avoid: Ignition Sources.

## 7. SPILL, LEAK AND DISPOSAL PROCEDURES:

Spill Response Procedures (including employee protection measures): Wear gloves and protective shoes. Small/large spills should be diked with inert absorbent and collected for disposal.

Preparing Wastes for Disposal (container types, neutralization, etc.): Incineration or disposal to sanitary landfill in accordance with Federal, States and Local regulations.

NOTE: Dispose of all waste in accordance with Federal, States and Local Regulations.

## 8. SPECIAL HANDLING INFORMATION:

Ventilation and Engineering Controls: This product should be used with plenty of ventilation.

Respiratory Protection (type): Self contained breathing apparatus in high concentration area.

Eye Protection (type): Regular safety goggles with side shields

Gloves (specify material): Chemical resistant gloves

Other Equipment: Use of mechanical dilution ventilation is recommended whenever this product is used in a confined space and heated above ambient temperatures and/or is agitated.

## 9. USER'S RESPONSIBILITY

The responsibility to provide a safe workplace remains with the user, who should consider the health hazards and safety information contained herein as a guide and develop required precautions for his operation. Then he should instruct his employees about working procedures for a safe work environment.

\*\*\*\*\*

The information contained herein is to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable local, state and federal laws and regulations.